

# Preparation of Final Manuscript for Journal of Power Electronics

First Author<sup>†</sup>, Second Author<sup>\*</sup>, and Third Author<sup>\*\*</sup>

<sup>†\*\*</sup>School of Electrical Engineering, Seoul University, Seoul, Korea

<sup>\*</sup>Department of Electrical and Computer Engineering, Illinois Institute of Technology, Chicago, U.S.A.

## Abstract

These guidelines are specified by the *JPE* Editor-in-Chief. All authors are responsible for understanding these guidelines before submitting a final manuscript for publication to the *JPE* on-line review system. This document was written using Microsoft Word 2010. If you are using Microsoft 2010 or later version of the program, please use this file as a template. Otherwise, please use this document as an instruction. Please do not correct the bibliographic information in the header of the first page. Please put a running title in the header of every odd page except the first page. When you write the title, please capitalize the first letter of each word except prepositions, articles and conjunctions. When you write a compound word in the title, please capitalize the first letter of the next word either. Please write full names in author filed. If the authors are more than two persons, please insert a comma followed by 'and' before the last author's name. If the authors are two persons, please insert 'and' between two names without a comma. Please define all acronyms at their first mention in the abstract. If it is commonly in use, you do not define the acronym. Please do not cite references in the abstract. The abstract should be one single paragraph.

**Key words:** Please capitalize the first letter of key words and separate key words by commas. Please place key words in alphabetical order. Please do not insert a period at the end of the list of key words

## I. INTRODUCTION

Once a manuscript has been accepted for publication, the authors will be notified by the *JPE* Editorial board. Your final manuscript for publication must contain author biographies and photos. Submit your final manuscript and a signed copyright transfer agreement form to the *JPE* on-line review system and also send them to the *JPE* Editor by e-mail at [editor@kipe.or.kr](mailto:editor@kipe.or.kr). As for the final manuscript, please send both DOC file and PDF file.

The final paper should be submitted within two weeks from the day of the final decision. Another two weeks may be allowed if the corresponding author requests. Otherwise, a late submission will be regarded as a new submission.

You can download this format from *JPE* website at [http://jpels.org/submission/info\\_authors.asp](http://jpels.org/submission/info_authors.asp). We provide a sample paper and copyright transfer agreement form as well.

Manuscript received Month. Date, Year; accepted Month. Date, Year  
Recommended for publication by Associate Editor Gil-Dong Hong.

<sup>†</sup>Corresponding Author: [author@hangoon.ac.kr](mailto:author@hangoon.ac.kr)

Tel: +82-2-554-0185, Fax: +82-2-554-0186, Hangoon University

<sup>\*</sup>Department of Electrical and Computer Engineering, Illinois Institute of Technology, U.S.A.

<sup>\*\*</sup>School of Electrical Engineering, Hangoon University, Seoul, Korea

If you have a hard time to find this format in the website, please send an e-mail to [editor@kipe.or.kr](mailto:editor@kipe.or.kr)

Please do not insert figures in the first page as far as you can.

If Nomenclature section is needed, please put it before the Introduction section without a section number.

## II. GUIDELINES FOR FINAL MANUSCRIPT PREPARATION

### A. Style of Manuscript for Publication

- Size of manuscript: 21cm x 27.8cm
- Page margin: Top and bottom – 2cm  
Left and right – 1.8cm  
Header – 1.1cm  
Footer – 0cm
- Main text: Times New Roman, 9.5 point fonts
- Formatted double columns with 1.15 spaced.
- Include authors' names, affiliations, biography, photos (size: 2.6(h) x 2.2(w)) in the manuscript.
- All figures, tables, equations and legends should be clear and viewable.

If a table or figure is too large for a single column,




Fig. 1. Number of submitted papers to JPE from 2010 to 2013.

make it span the width of the entire page.

- Eight pages would be a preferable length for the JPE manuscripts.
- Manuscripts in *JPE* and reprints are printed in black and white. But *JPE* encourages the use of color for the online version of its articles.

## B. Section Headings

### I. PRIMARY HEADING

Primary headings should be centered and enumerated by Roman numerals. Please capitalize the first letter of each word except prepositions, articles and conjunctions. The font size is 11 point.

#### A. Secondary Heading

Secondary headings should be aligned to the left and enumerated by “A” “B” “C”, etc. Please capitalize the first letter of each word except prepositions, articles and conjunctions. The font size is 10 point.

1) *Tertiary Heading*: Tertiary headings should be aligned to the left and enumerated by Roman numerals. Please capitalize the first letter of each word except prepositions, articles and conjunctions. The font size is 9.5 point.

a) *Quaternary Heading*: Quaternary headings should be aligned to the left and enumerated by “a” “b” “c”, etc. Please capitalize the first letter of each word except prepositions, articles and conjunctions. The font size is 9.5 point.

Nomenclature, Appendix, Acknowledgment and References do not have section numbers.

#### C. Figures and Tables

Figures and tables should be placed in the top of the page. Figures should be of the highest possible quality. When you mention figures in the main text, please refer them like Fig. 1, Fig. 2(a), Figs. 2-5, etc. When you write the legend of figure,

TABLE I  
SI BASE UNITS

Quantity	Name of Unit	Symbol
length	meter	m
mass	kilogram	kg
time	second	s
electrical current	ampere	A
thermodynamic temperature	kelvin	K
amount of substance	mole	mol
luminous intensity	candela	cd

If you need to define acronyms, please use this space.  
A = ampere, K=kelvin, m = meter.

please capitalize the first letter of the first word. Please put a period at the end of its legend.

Please refer tables like Table I, Table II, Table III-VI when you mention them in the main text. When you write the legend of table, please capitalize the first letter of each word except prepositions, articles and conjunctions. Please do not put a period at the end of the legend.

You should mention each figure and table more than once in the main text if you want to include it in the manuscript. Please place figures and tables in numeral order and be careful not to miss a number. Please place all the figures and tables before the conclusions section begins.

#### D. Equations

Equations should be aligned to the center. Please refer equations like Equ. (1), Eqs. (2)-(5) when you mention them in the main text.

Please be careful not to miss an equation number.

#### E. Acronyms and Abbreviations

Define all acronyms at their first mention in the text. Please use acronyms only thereafter. If it is already been defined in the abstract, define it again in the main text.

ex) tapped-inductor boost (TIB)

If some acronym is commonly in use, you don't need to define it.

#### F. Consistency

For example, when indicating the status of the signal as “on” or “off”, you can either be lower-cased (on, off) or upper-cased (ON, OFF). However, regardless of which form you choose, keep it consistent throughout the paper. It applies to technical terms, expressions and capitalization.

#### G. References

When references are cited in text, number citations and put them in square brackets inside the punctuation. Multiple references are each numbered with separate brackets.

ex) [1]  
[2], [3]  
[4]-[7]



(a) Front cover.



(b) Back cover.

Fig. 2. Cover of JPE.

[1], [4], [5]

#### H. PDF Converting

Some pictures may cause some error when a word file is converted to a PDF file. Please convert the DOC file of your final manuscript to PDF file by yourself. If everything looks fine, then you may upload the final manuscript in *JPE* online review system.

#### I. Copyright

You cannot use other researcher's contributions without permissions. If you want to use pictures or tables from other author's paper or book, please contact them and ask a permission before sending us the final manuscript.

### III. PAGE CHARGES AND REPRINTS ORDER

After the final manuscript has been submitted, the *JPE* editor will estimate the length of the paper. The authors will be notified in advance of page charges. Page charges will be billed at \$30 per page. Authors must commit to paying page charges before publication.

Authors and co-authors have an opportunity to purchase reprints of their articles published in *JPE* journals. Please visit - [http://jpels.org/submission/info\\_authors.asp](http://jpels.org/submission/info_authors.asp) for more information.

### IV. ELECTRONIC VERSION OF PAPERS

Please visit *JPE* homepage after the publication date. You can download the PDF file of your paper.

### V. CONCLUSIONS

Editing by authors is the basic policy of *JPE* publication. Please fully cooperate in the publication process. The responsibility for the paper is upon the authors not upon the manuscript editor. Please review and correct English in your manuscript before sending it to us. Manuscript Editors can't change the content of the final manuscript a lot, please send us manuscripts in a highly completed version.

### APPENDIX

If needed, put appendices before acknowledgment. Please number equations continuously from the main text.

### ACKNOWLEDGMENT

We spell the word "Acknowledgment" following American English. "e" is not after "g." Use the singular form even if you have more than one acknowledgment.

### REFERENCES

Authors have a responsibility of editing reference list according to the *JPE* editing rule. If an author doesn't cite other researcher's contributions accurately, it may bring a plagiarism issue. Please devote the same amount of time for editing reference list when you write a paper.

The size of fonts is 9 point for references.

#### Basic Format for Journals (Periodicals):

- [1] A. B. Authors, "Title of the paper," *Title of the Journal*, Vol. 0, No. 0, pp. 000-000, Abbreviated Month. year.
- [2] M. Nakamura, K. Ogura, and M. Nakaoka, "Soft-switching PWM boost chopper-fed dc-dc power converter with load side auxiliary passive resonant snubber," *Journal of Power Electronics*, Vol. 4, No. 3, pp. 161-168, Jul. 2004
- [3] R.-J. Wai and R.-Y. Duan, "High step-up converter with coupled-inductor," *IEEE Trans. Power Electron.*, Vol. 20, No. 5, pp. 1025-1035, Sep. 2005.
- [4] M. Schweizer, T. Friedli, and J. W. Kolar, "Comparative evaluation of advanced three-phase three-level inverter/converter topologies against two-level systems," *IEEE Trans. Ind. Electron.*, Vol. 60, No. 12, pp. 5515-5527, Dec. 2013.
- [5] G. Sikha, P. Ramadass, B.S. Haran, R. E. White, and B. N. Popov, "Comparison of the capacity fade of Sony US 18650 cells charged with different protocols," *Journal of Power Sources*, Vol. 122, No. 1, pp. 67-76, Jul. 2003.
- [6] T. Sammajarvi, F. Lakhdari, M. Karppanen, and T. Suntio, "Modeling and dynamic characterization of peak current mode controlled superboost converter," *IET Power Electronics*, Vol. 1, No. 4, pp. 527-536, Dec. 2008.

- [7] H. Nagayoshi, "I-V curve simulation by multi-module simulator using I-V magnifier circuit," *Solar Energy Materials & Solar Cells*, Vol. 82, No. 1-2, pp. 159-167, May 2004.
- [8] F. Tahami, S. Poshtkouhi, and H. M. Ahmadian, "Piecewise affine control design for power factor correction rectifiers," *Journal of Power Electronics*, Vol. 11, No. 3, pp. 327-334, May 2011.

#### Basic Format for Conference Papers:

- [9] A. B. Authors, "Title of the conference paper," *Title of the Conference*, Vol. 0, pp. 000-000, Year.
- [10] J.-i. Kang, S.-K. Han, and J. Han, "Lossless snubber for tapped-inductor boost converter for high step-up application," in *Proc. ICIT*, pp. 253-260, 2014.
- [11] N. Vazquez, L. Estrada, C. Hernandez, and E. Rodriguez, "The tapped-inductor boost converter," in *Proc. ISIE*, pp. 538-543, 2007.
- [12] A. M. Osama, H. A. Abdel Fattah and A. M. Sakr, "Variable structure flux linkage controller for torque ripple minimization in switched reluctance motors," in *Proc. American Control Conference*, Vol. 4, pp. 3105-3110, 2002.
- [13] K. Chaniago, N. A. Rahim, and J. Selvaraj, "Novel fundamental-frequency-modulated modified H-bridge single-phase seven-level inverter for stand-alone photovoltaic system," in *Conference on Clean Energy and Technology (CET)*, pp. 225-230, 2011.
- [14] R. Lator, G. Di Caro, A. Russo, and N. Liporace, "Mixed system integration simplifies the design and the architecture of automotive power actuators," *IEEE Industry Applications Annual Meeting*, Vol. 2, pp. 1259-1263, 2003.
- [15] W. Wang, D.-C. Lu, and G. Chu, "Digital control of bridgeless buck pfc converter in discontinuous input voltage mode," in *Conf. IECON 2011*, pp. 1312-1317, 2011.

#### Basic Format for Books:

- [16] A. B. Authors, *Title of the Book*, xth ed., Publisher Name, Chapter, pp. 000-000, Year.
- [17] A. B. Authors, "Title of chapter in the book," in *Title of the Book*, Publisher Name, Chapter, pp. 000-000, Year.
- [18] Texas Instrument, *TMS320F28x Analog to Digital Converter (ADC) Reference Guide*, Aug. 2003.
- [19] P. C. Krause, *Analysis of Electric Machinery*, McGraw-Hill, Chap. 4, pp. 35-78, 1995.
- [20] A. Emadi, *Handbook of Automotive Power Electronics and Motor Drives*, CRC Taylor & Francis, 2006.
- [21] R. E. Best, *Phase-Locked Loops: Design, Simulation, and Applications*, 5th ed., McGraw-Hill Professional, Chap. 2, 2003.
- [22] C. W. T. Mcllyman, "Transformer design trade-offs," in *Transformer and Inductor Design Handbook*, 3th ed., Marcel Dekker Inc, pp. 5-6, 2004.

#### Basic Format for Webpages:

- [23] Title of Website, Page address, date of access.
- [24] Title of Website, *Title of the document*, Page address, date.
- [25] Clean Energy Ministerial - Global LEAP awards -, <http://www.globalleapawards.org>, Dec. 24, 2013.
- [26] Micrometals Iron Powder Cores, <http://www.micrometals.com>, 2013.
- [27] Fairchild Semiconductor, *FAN9611 Datasheet*, <http://www.fairchildsemi.com/ds/FA/FAN9611.pdf>, 2008.

- [28] Our Finite World, *World Energy Consumption Since 1820 in Charts*-<http://ourfiniteworld.com/2012/03/12/world-energy-consumption-since-1820-in-charts>, 2014.
- [29] United Electronic Industries, *PowerDNA PPC8 data acquisition cube product manual*, <http://www.ueidaq.com/data-acquisition-chassis/ethernet-daq/dna-ppc8.html>, 2014.

#### Basic Format for Patents:

- [30] A. B. Author, "Title of the patent," U.S. Patent 0000000, Abbreviated Month. day, year.
- [31] J. L. Lassen, "Sensorless control of two phase brushless dc motor," U.S. Patent 7 183 734 B2, Feb. 27, 2007.
- [32] A. A. Nostwick and B. L. Hesterman, "Power factor correction circuit," U.S. Patent 5 614 810, Mar. 25, 1997.

#### Basic Format for Theses (M.S.) and dissertations (Ph.D.):

- [33] A. B. Authors, "Title of thesis," M.S. Thesis, University, Country, year.
- [34] A. B. Authors, "Title of thesis," Ph.D. Dissertation, University, Country, Year.
- [35] T. N. Ramasamy, "Bidirectional DC-DC converter for aircraft electric energy storage systems," Ph.D. Dissertation, University of Manchester, U.K., 2010.

#### Basic Format for Standards:

- [36] *Title of Standards*, Standard number, date.
- [37] *IEEE Recommended Practices and Requirements for Harmonic Control in Electrical Power System*, IEEE Std 519-1992, 1992.

#### Basic Format for Unpublished:

- [38] A. B. Authors, "Title of the paper," *Title of the Journal*, to be published.



**First Author** and other authors may include biographies and photographs at the end of the manuscript. The size of photograph is 2.6cm(h) x 2.2cm(w). The size of font is 9 point. Biography should be one paragraph. First sentence should include the author's name. The article "the" should precede and the word "degree" should succeed to indicate the

degree. Capitalize the name of the job title, but don't capitalize the word "member." Place the definite article "the" before the name of the department. Pluralize the word "electronics" when it comes before engineering. The order of the words is "electrical and electronics." Use the adverb "currently" after "is." Use the phrasal verb "working toward" instead of "pursuing." Use the phrase like "work with," "is with," and "joined" instead of "work in" or "work for." Use the preposition "with" or "at" instead of "for" or "in" when indicating the work place. If possible, please indicate the name of the city and country after the name of the school where you received your degree.



**Second Author** was born in Daegu, Korea. He received his B.S. degree in Electronics Engineering from Kyungpook National University, Daegu, Korea, in 1998, and his M.S. and Ph.D. degrees in Electrical Engineering from the Pohang University of Science and Technology (POSTECH), Pohang, Korea, in 2000 and 2005, respectively. From 2005 to 2007, he was with LG Electronics,

Seoul, Korea. From 2008 to 2014, he worked as a Managerial Researcher at the Korea Electronics Technology Institute, Bucheon, Korea. In 2014, he joined Kyungpook National University as an Assistant Professor in the School of Energy Engineering. His current research interests include AC motor control, DC-DC converters, and PWM converter/inverter systems.



**Third Author** was born in Marand, Iran, in 1953. He received his M.S. degree from the Faculty of Engineering, University of Tabriz, Tabriz, Iran, in 1976. He received his DEA and Ph.D. degrees in Electrical Engineering from the Institute National Polytechnique de Lorraine (INPL), Lorraine, France, in 1978 and 1981, respectively. In 1982, he joined the University of Tabriz, as an Assistant Professor in the Department of Electric Engineering, where he was an Associate Professor from 1990 to 1995, and where he has been a Professor since 1995. From September 1990 to September 1991, he was a Visiting Professor in the University of Queensland, Brisbane, Australia. From September 1996 to September 1997, he was a Visiting Professor in the University of Western Ontario, London, Ontario, Canada. His current research interests include power electronic converters, matrix converters, active and hybrid filters, the application of power electronics in renewable energy systems and electrified railway systems, reactive power control, harmonics, and power quality compensation systems such as SVC, UPQC, FACTS devices.